Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1-45 (Canceled)

46. (Currently Amended) A method for a communication device comprising a microphone, a speaker, an input device, a display, and a wireless communicating system, said method comprising:

a function implementing step in which a specific function is implemented a phone communication device remote controlling step;

wherein said communication device implements a voice communicating function and a fixed-line phone communication device remote controlling function;

a 1st voice data input via said microphone is transferred via said wireless communicating system and a 2nd voice data which is different from said 1st voice data received via said wireless communicating system is output via said speaker when said voice communicating function is implemented in said step; and

wherein said communication device is remotely controlled via a user instruction entered by a fixed-line-phone when said fixed-line-phone communication device remote controlling function-step is implemented in said-step.

wherein in response to the user entering said user instruction by said phone, said communication device receives a communication device controlling command via a network to which said communication device is connected in a wireless fashion, and said communication device implements a communication device controlling task in response to said communication device controlling command, thereby said communication device

is remotely controlled via said user instruction entered by said phone, and thereby a communication device controlled notice which corresponds to said user instruction is output from said phone.

47. (Currently Amended) A method for a communication device comprising a microphone, a speaker, an input device, a display, and a wireless communicating system, said method comprising:

a function implementing step in which a specific function is implemented an internet communication device remote controlling step;

wherein said communication device implements a voice communicating function and an internet communication device remote controlling function;

a 1st voice data input via said microphone is transferred via said wireless communicating system and a 2nd voice data which is different from said 1st voice data received via said wireless communicating system is output via said speaker when said voice communicating function is implemented in said step; and

wherein said communication device is remotely controlled via <u>a user instruction entered</u>

via the Internet when said internet communication device remote controlling function

step is implemented in said step.

wherein in response to the user entering said user instruction via the Internet, said communication device receives a communication device controlling command via a network to which said communication device is connected in a wireless fashion, and said communication device implements a communication device controlling task in response to said communication device controlling command, thereby said communication device is remotely controlled via said user instruction entered via the Internet, and thereby a communication device controlled notice which corresponds to said user instruction is output via the Internet.

48. (Currently Amended) A method for a communication device comprising a microphone, a speaker, an input device, a display, and a wireless communicating system, said method comprising:

a function implementing step in which a specific function is implemented; wherein said communication device implements a voice communicating function, a fixed-line phone communication device remote controlling function, and an internet communication device remote controlling function;

a 1st voice data input via said microphone is transferred via said wireless communicating system and a 2nd voice data which is different from said 1st voice data received via said wireless communicating system is output via said speaker when said voice communicating function is implemented in said step;

said communication device is remotely controlled via a fixed line phone when said fixed line phone communication device remote controlling function is implemented in said step; and

said communication device is remotely controlled via the Internet when said internet communication device remote controlling function is implemented in said step.

A communication device remotely controlling system to control a communication device by phone or the Internet, wherein said communication device remotely controlling system includes a communication device remotely controlling means;

wherein, in response to a user instruction being entered by a phone or via the Internet by a user, said communication device remotely controlling means transmits a communication device controlling command, which is transferred to said communication device via a network to which said communication device is connected in a wireless fashion;

said communication device implements a communication device controlling task in response to said communication device controlling command; and in response to the implementation of said communication device controlling task, said

communication device remotely controlling means transmits a communication device
controlling result, thereby a communication device controlled notice which corresponds
to said user instruction is output from said phone or via the Internet.

49-65 (Canceled)

- 66. (New) The method of claim 46, wherein said user instruction indicates to deactivate the silent mode of said communication device, and said communication device controlled notice indicates that the silent mode is deactivated.
- 67. (New) The method of claim 46, wherein said user instruction indicates to output audio data from said speaker, and said communication device controlled notice indicates that audio data is output from said speaker.
- 68. (New) The method of claim 46, wherein said user instruction indicates to change password pertaining to said communication device, and said communication device controlled notice indicates that password pertaining to said communication device is changed.
- 69. (New) The method of claim 46, wherein said user instruction indicates to lock said communication device, and said communication device controlled notice indicates that said communication device is locked.
- 70. (New) The method of claim 46, wherein said user instruction indicates to power off said communication device, and said communication device controlled notice indicates that said communication device is powered off.

- 71. (New) The method of claim 47, wherein said user instruction indicates to deactivate the silent mode of said communication device, and said communication device controlled notice indicates that the silent mode is deactivated.
- 72. (New) The method of claim 47, wherein said user instruction indicates to deactivate the silent mode of said communication device and output audio data from said speaker, and said communication device controlled notice indicates that the silent mode is deactivated and audio data is output from said speaker.
- 73. (New) The method of claim 47, wherein said user instruction indicates to output audio data from said speaker, and said communication device controlled notice indicates that audio data is output from said speaker.
- 74. (New) The method of claim 47, wherein said user instruction indicates to change password pertaining to said communication device, and said communication device controlled notice indicates that password pertaining to said communication device is changed.
- 75. (New) The method of claim 47, wherein said user instruction indicates to lock said communication device, and said communication device controlled notice indicates that said communication device is locked.
- 76. (New) The method of claim 47, wherein said user instruction indicates to power off said communication device, and said communication device controlled notice indicates that said communication device is powered off.
- 77. (New) The system of claim 48, wherein said user instruction indicates to deactivate

the silent mode of said communication device, and said communication device controlled notice indicates that the silent mode is deactivated.

78. (New) The system of claim 48, wherein said user instruction indicates to deactivate the silent mode of said communication device and output audio data from said speaker, and said communication device controlled notice indicates that the silent mode is deactivated and audio data is output from said speaker.

79. (New) The system of claim 48, wherein said user instruction indicates to output audio data from said speaker, and said communication device controlled notice indicates that audio data is output from said speaker.

80. (New) The system of claim 48, wherein said user instruction indicates to change password pertaining to said communication device, and said communication device controlled notice indicates that password pertaining to said communication device is changed.

- 81. (New) The system of claim 48, wherein said user instruction indicates to lock said communication device, and said communication device controlled notice indicates that said communication device is locked.
- 82. (New) The system of claim 48, wherein said user instruction indicates to power off said communication device, and said communication device controlled notice indicates that said communication device is powered off.